

NZ FARMERS

LIVESTOCK

**HIGH INDEXED IN-MILK DAIRY SALE
A/C STONY CREEK GENETICS**

Tally 250 Including 12 contract mated cows



Day 1

Tuesday 13th October 2026 11:30 am

711 Henry Watson Road, Walton

Agents: Bill Sweeney 027 451 5310

Michael Conwell 027 226 1611

Sale live streamed on [MyLiveStock](#)

Please register 48 hours before sale

Important Notice

The information in this catalogue is derived from data supplied by the vendor and stored in the LIC or CRV database. Whilst every care has been taken to ensure accuracy, no claims of any sort of error or omission may be made against LIC, CRV or NZ Farmers Livestock Ltd.

NZ Farmers Livestock Finance

Here to support you through this upcoming season.

Whether topping up with additional dairy cows, replacement cattle, or store lambs, here at NZ Farmers Livestock, we can help. We offer a quick and simple finance solution with terms and conditions fine-tuned to your needs. We know finance flexibility and speed of delivery is a necessity when it comes to farming.

To arrange finance to purchase this week or just to discuss options going forwards, contact

Simon Williams 07 889 1673 or 027 491 2173.

Find Out More @ mylivestock.co.nz/go/static/finance



Stony Ridge

Sale Date: 13 October 2026 at 11:30 | Sale Type: Dairy Dynamic

Lot 1								
Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
1	3	J16	FVLH-23-5	GEv	260	62	504	51
81	3	J13 F3	FVLH-23-120	GEv	376	59	397	56
162	3	J14 F2	JJCM-23-82	GEv	358	55	391	66

3 animals | Avg BW: 331 | Avg PW: 431

Lot 2								
Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
44	3	J11 F5	FVLH-23-3	GEv	287	65	363	58
46	3	J12 F4	JJCM-23-133	GEv	334	63	377	59
112	3	J11 F5	FVLH-23-79	GEv	328	62	341	60
127	3	J14 F2	FVLH-23-108	GEv	367	62	372	60

4 animals | Avg BW: 329 | Avg PW: 363

Lot 3								
Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
20	3	J13 F3	JJCM-23-132	GEv	349	62	328	66
45	3	J13 F3	FVLH-23-25	GEv	296	55	353	58
49	3	J12 F4	JJCM-23-149	GEv	301	61	317	60

3 animals | Avg BW: 315 | Avg PW: 333

Lot 4								
Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
290	4	J15 F1	FVLH-22-72	GEv	375	64	455	74
303	4	J10 F6	FVLH-22-9	GEv	388	65	514	73

2 animals | Avg BW: 382 | Avg PW: 485

Stony Ridge

Lot 5

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
58	4	J16	FVLH-22-2	GEv	382	64	634	73
123	4	J15 F1	JJCM-22-154	GEv	549	63	751	71
279	4	J16	FVLH-22-8	GEv	236	65	644	80

3 animals | Avg BW: 389 | Avg PW: 676

Lot 6

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
19	5	J16	FVLH-21-98	GEv	330	69	522	93
93	5	J16	FVLH-21-102	GEv	281	69	498	92
197	5	J13 F3	JJCM-21-101	GEv	210	70	492	93

3 animals | Avg BW: 274 | Avg PW: 504

Lot 7

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
2	3	F8 J8	FVLH-23-33	GEv	453	62	661	67
10	6	F9 J7	FVLH-20-2	GEv	459	71	594	85

2 animals | Avg BW: 456 | Avg PW: 628

Lot 8

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
122	3	J15 F1	FVLH-23-62	GEv	301	60	494	67
124	3	J11 F3 U2	FVLH-23-127	GEv	360	55	501	59
148	3	F13 J3	HBKM-23-5	GEv	359	62	436	59

3 animals | Avg BW: 340 | Avg PW: 477

Lot 9

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
225	2	J11 F5	FVLH-24-7	GEv	381	62	342	48
255	2	F8 J8	FVLH-24-129	GEv	399	52	474	22
331	2	F9 J7	FVLH-24-113	GEv	456	46	435	20

3 animals | Avg BW: 412 | Avg PW: 417

Stony Ridge

Lot 10

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
246	2	J10 F6	FVLH-24-106	GEv	495	59	690	47
252	2	J11 F5	FVLH-24-87	GEv	399	55	707	46
330	2	F10 J6	JJCM-24-69	GEv	528	54	682	46

3 animals | Avg BW: 474 | Avg PW: 693

Lot 11

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
222	2	J11 F5	FVLH-24-10	GEv	362	62	575	48
224	2	J11 F5	FVLH-24-13	GEv	401	62	484	48

2 animals | Avg BW: 382 | Avg PW: 530

Lot 12

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
40	4	J8 U8	FVLH-22-136	GEv	351	58	296	79
52	4	J16	FVLH-22-70	GEv	195	64	303	64
302	4	J16	FVLH-22-114	GEv	231	66	243	74

3 animals | Avg BW: 259 | Avg PW: 281

Lot 13

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
21	6	J13 F3	FVLH-20-80	G3	254	56	298	95
28	6	J13 F3	FVLH-20-23	G3	288	58	463	95
67	6	J9 F7	FVLH-20-9	GEv	320	72	441	95

3 animals | Avg BW: 287 | Avg PW: 401

Lot 14

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
83	5	J11 F5	FVLH-21-15	GEv	174	70	328	92
142	5	J16	JJCM-21-78	GEv	305	68	348	93

2 animals | Avg BW: 240 | Avg PW: 338

Stony Ridge

Lot 15

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
54	5	J9 F7	FVLH-21-11	GEv	302	70	458	92
161	5	J12 F4	MHT-21-97	G3	369	56	474	90
205	5	J14 F2	FVLH-21-77	GEv	188	69	440	92

3 animals | Avg BW: 286 | Avg PW: 457

Lot 16

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
86	3	J11 F5	JJCM-23-96	GEv	343	61	341	59
138	3	J9 F7	FVLH-23-41	GEv	384	61	320	66
180	3	J13 F3	JJCM-23-57	GEv	368	59	406	58

3 animals | Avg BW: 365 | Avg PW: 356

Lot 17

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
22	3	J16	FVLH-23-76	GEv	369	61	403	66
184	4	J16	JJCM-22-128	GEv	323	65	303	80

2 animals | Avg BW: 346 | Avg PW: 353

Lot 18

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
291	4	J16	FVLH-22-51	GEv	403	65	398	73
296	4	J16	FVLH-22-36	GEv	272	64	363	80

2 animals | Avg BW: 338 | Avg PW: 381

Lot 19

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
68	2	J11 F5	FVLH-24-12	GEv	331	61	372	25
226	2	J10 F6	FVLH-24-118	GEv	409	55	357	46
240	2	J14 F2	JJCM-24-35	GEv	399	53	342	23
344	2	J15 F1	JJCM-24-47	GEv	385	53	365	23

4 animals | Avg BW: 381 | Avg PW: 359

Stony Ridge

Lot 20

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
82	4	J13 F3	JJCM-22-155	GEv	234	65	327	81
125	4	J16	FVLH-22-115	GEv	250	65	405	80
274	4	J14 F2	FVLH-22-68	GEv	372	65	422	73

3 animals | Avg BW: 285 | Avg PW: 385

Lot 21

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
84	5	J16	FVLH-21-16	GEv	327	69	450	93
190	5	J15 F1	FVLH-21-101	GEv	229	70	433	93
200	5	J16	FVLH-21-104	GEv	252	69	430	91

3 animals | Avg BW: 269 | Avg PW: 438

Lot 22

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
229	5	J15 F1	FVLH-21-76	GEv	212	70	404	93
233	5	J16	FVLH-21-74	GEv	441	68	423	93
749	5	J16	MHT-21-196		206	54	410	89

3 animals | Avg BW: 286 | Avg PW: 412

Lot 23

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
108	3	J13 F3	FVLH-23-83	GEv	233	57	280	66
354	3	F8 J8	FVLH-23-18	GEv	283	58	237	24
356	3	J11 F5	JJCM-23-77		267	36	303	45

3 animals | Avg BW: 261 | Avg PW: 273

Lot 24

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
75	3	J12 F4	FVLH-23-19	GEv	276	63	536	59
174	3	J16	JJCM-23-39	GEv	444	63	525	60

2 animals | Avg BW: 360 | Avg PW: 531

Stony Ridge

Lot 25

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
262	7	J14 A2	HNHP-19-14	G3	275	58	470	95
87	7	J11 F5	FVLH-19-224	GEv	282	71	470	96

2 animals | Avg BW: 279 | Avg PW: 470

Lot 26

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
275	2	J11 F5	FVLH-24-6	GEv	343	60	391	25
27	3	J9 F7	FVLH-23-15	GEv	261	61	459	60

2 animals | Avg BW: 302 | Avg PW: 425

Lot 27

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
95	5	J11 F5	JJCM-21-26	GEv	169	68	322	92
102	5	F10 J6	MHT-21-156		232	57	366	76
136	5	F8 J8	MHT-21-119	G3	194	54	311	92

3 animals | Avg BW: 198 | Avg PW: 333

Lot 28

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
307	2	F11 J5	FVLH-24-119	GEv	416	53	414	22
337	2	F10 J6	FVLH-24-123	GEv	352	55	343	46
339	2	F9 J7	FVLH-24-136	GEv	361	52	408	22

3 animals | Avg BW: 376 | Avg PW: 388

Lot 29

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
251	7	J16	HNHP-19-75	G3	316	59	630	94
263	7	J15 F1	FVLH-19-106	G3	270	59	471	96
316	7	J16	FVLH-19-84	G3	227	59	475	92

3 animals | Avg BW: 271 | Avg PW: 525

Stony Ridge

Lot 30

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
62	7	J16	FVLH-19-3	GEv	289	71	327	97
90	7	J15 F1	FVLH-19-181	G3	242	59	371	96
287	7	J10 F6	FVLH-19-23	G3	239	59	391	96
320	7	J16	FVLH-19-39	G3	286	56	411	92

4 animals | Avg BW: 264 | Avg PW: 375

Lot 31

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
99	6	J14 F2	FVLH-20-82	G3	260	59	386	96
247	6	J11 F5	FVLH-20-106	G3	235	56	337	91

2 animals | Avg BW: 248 | Avg PW: 362

Lot 32

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
164	4	J13 F3	JJCM-22-75	GEv	349	64	292	73
166	4	J16	FVLH-22-12	GEv	246	65	354	72
182	4	J15 F1	JJCM-22-150	GEv	275	65	281	72

3 animals | Avg BW: 290 | Avg PW: 309

Lot 33

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
187	4	J16	JJCM-22-82	GEv	205	64	489	71
191	4	J16	JJCM-22-83	GEv	349	64	474	81
283	4	J16	FVLH-22-3	GEv	392	64	341	80

3 animals | Avg BW: 315 | Avg PW: 435

Stony Ridge

Lot 34

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
254	2	J16	FVLH-24-71	GEv	360	55	277	46
259	2	J14 F2	FVLH-24-73	GEv	302	59	324	25
264	2	J16	JJCM-24-41	GEv	434	53	246	46
327	2	J13 F2 U1	FVLH-24-108	GEv	343	53	225	45

4 animals | Avg BW: 360 | Avg PW: 268

Lot 35

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
151	4	J11 F5	JJCM-22-122	GEv	343	64	223	73
282	4	J16	FVLH-22-49	GEv	260	65	149	81

2 animals | Avg BW: 302 | Avg PW: 186

Lot 36

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
208	2	F9 J7	FVLH-24-19	GEv	323	53	323	23
210	2	F8 J8	FVLH-24-3	GEv	303	51	373	22
341	2	J12 F4	FVLH-24-122	GEv	308	60	410	47

3 animals | Avg BW: 311 | Avg PW: 369

Lot 37

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
322	2	J16	JJCM-24-82	GEv	423	50	375	21
332	2	J13 F3	JJCM-24-88	GEv	430	59	583	47
345	2	J12 F4	FVLH-24-117	GEv	464	53	475	22

3 animals | Avg BW: 439 | Avg PW: 478

Lot 38

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
219	2	J11 F5	FVLH-24-16	GEv	391	60	436	25

1 animals | Avg BW: 391 | Avg PW: 436

Stony Ridge

Lot 39

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
89	3	F9 J7	FVLH-23-6	GEv	364	63	388	67
216	2	J11 F5	FVLH-24-11	GEv	346	60	386	25

2 animals | Avg BW: 355 | Avg PW: 387

Lot 40

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
30	2	F8 J8	FVLH-24-9	GEv	346	52	475	45
300	2	J14 F2	FVLH-24-1	GEv	419	57	587	46
317	2	F9 J7	FVLH-24-110	GEv	361	53	459	22

3 animals | Avg BW: 375 | Avg PW: 507

Lot 41

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
43	7	F8 J8	JJCM-19-127	G3	232	59	549	95
57	6	J14 F2	JJCM-20-27	G3	351	59	583	95

2 animals | Avg BW: 292 | Avg PW: 566

Lot 42

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
139	5	F12 J4	MHT-21-3	G3	251	52	512	90
150	6	J16	FVLH-20-196	G3	328	57	651	93
206	5	J12 F4	MHT-21-212	G3	387	55	592	93

3 animals | Avg BW: 322 | Avg PW: 585

Lot 43

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
220	7	J16	FVLH-19-41	G3	212	59	418	95
258	7	J16	HNHP-19-72	G3	313	60	438	93
261	7	J16	FVLH-19-76	G3	362	62	417	97

3 animals | Avg BW: 296 | Avg PW: 424

Stony Ridge

Lot 44

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
141	5	F8 J8	MHT-21-232	G3	249	58	295	93
721	5	J14 F2	MHT-21-220	G3	171	49	305	81
724	5	F6 J6 U4	MHT-21-164	G3	189	52	226	83

3 animals | Avg BW: 203 | Avg PW: 275

Lot 45

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
143	6	J14 F2	FVLH-20-130	G3	227	58	188	96
355	6	J12 F4	FVLH-20-112	G3	274	46	219	54

2 animals | Avg BW: 251 | Avg PW: 204

Lot 46

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
94	3	J16	FVLH-23-68	GEv	158	58	179	56
188	3	J14 F2	JJCM-23-89	GEv	296	59	204	58
361	3	J14 F2	JJCM-23-49	GEv	209	60	150	47

3 animals | Avg BW: 221 | Avg PW: 178

Lot 47

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
104	8	J14 F2	FVLH-18-82	G3	164	58	315	95
147	8	J14 F2	LPXK-18-5		166	61	264	96
152	8	J14 F2	LPXK-18-43	G3	179	56	262	96

3 animals | Avg BW: 170 | Avg PW: 280

Lot 48

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
195	5	J15 F1	FVLH-21-71	GEv	234	63	175	93
669	5	J10 F6	MHT-21-240	G3	109	54	183	91
701	5	F11 J5	MHT-21-217	GEv	168	68	208	91

3 animals | Avg BW: 170 | Avg PW: 189

Stony Ridge

Lot 49

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
319	2	J12 F4	FVLH-24-124	GEv	295	60	41	47
323	2	J15 F1	FVLH-24-62	GEv	283	61	177	48

2 animals | Avg BW: 289 | Avg PW: 109

Lot 50

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
324	2	J16	JJCM-24-52	GEv	352	50	278	22
328	2	F8 J8	FVLH-24-120	GEv	322	52	335	22
334	2	J16	JJCM-24-3	GEv	326	57	296	24

3 animals | Avg BW: 333 | Avg PW: 303

Lot 51

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
76	3	F8 J8	FVLH-23-95	GEv	246	64	247	67
117	3	J15 F1	JJCM-23-33	GEv	331	62	202	59
18	3	J10 F6	FVLH-23-13		176	45	78	64

3 animals | Avg BW: 251 | Avg PW: 176

Lot 52

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
170	3	J11 F5	JJCM-23-58	GEv	391	54	225	49
211	2	F10 J6	FVLH-24-20	G3	275	37	331	16
231	2	F13 J3	FVLH-24-133	GEv	283	53	320	22

3 animals | Avg BW: 316 | Avg PW: 292

Lot 53

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
227	5	J15 F1	FVLH-21-93	GEv	241	68	202	78
239	5	J16	JJCM-21-95	GEv	271	68	215	93

2 animals | Avg BW: 256 | Avg PW: 209

Stony Ridge

Lot 54

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
236	5	J15 F1	FVLH-21-20	GEv	311	70	329	91
244	5	J15 F1	FVLH-21-75	GEv	292	67	302	78
364	5	J14 F1 U1	JJCM-21-24	G3	248	51	337	85

3 animals | Avg BW: 284 | Avg PW: 323

Lot 55

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
280	2	J16	FVLH-24-50	GEv	318	60	452	48
338	2	J16	FVLH-24-77	GEv	373	59	267	25
340	2	J16	JJCM-24-7	GEv	368	60	386	47
346	2	J12 F4	FVLH-24-58	GEv	388	49	400	21

4 animals | Avg BW: 362 | Avg PW: 376

Lot 56

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
289	2	J16	FVLH-24-65	GEv	77	51	47	22
318	1	J8 U8	FVLH-24-141	GEv	190	46	95	44

2 animals | Avg BW: 134 | Avg PW: 71

Lot 57

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
73	7	J15 F1	FVLH-19-74	G3	337	59	312	96
250	7	J16	DYKJ-19-64	G3	177	59	338	95
294	7	J16	FVLH-19-80	G3	280	59	435	95
314	7	J16	FVLH-19-202	G3	325	62	344	97

4 animals | Avg BW: 280 | Avg PW: 357

Stony Ridge

Lot 58

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
91	3	J10 F6	FVLH-23-77	GEv	321	62	241	59
154	3	J11 F5	FVLH-23-47	GEv	461	61	218	57
202	2	F13 J3	FVLH-24-130	GEv	381	53	325	23
350	2	F9 J7	FVLH-24-93	GEv	346	53	387	23

4 animals | Avg BW: 377 | Avg PW: 293

Lot 59

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
268	2	J15 F1	FVLH-24-83	GEv	391	54	243	46
347	2	J15 F1	FVLH-24-78	GEv	296	53	329	23

2 animals | Avg BW: 344 | Avg PW: 286

Lot 60

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
272	2	J11 F5	FVLH-24-126	GEv	431	55	475	23
326	2	F11 J5	JJCM-24-65	GEv	407	56	426	24
329	2	J11 F5	FVLH-24-112	GEv	450	55	367	46

3 animals | Avg BW: 429 | Avg PW: 423

Lot 61

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
228	2	J11 F5	FVLH-24-121	GEv	402	53	421	23
273	2	J12 F4	FVLH-24-84	GEv	364	53	378	23
335	2	J11 F5	JJCM-24-90	GEv	324	58	366	47

3 animals | Avg BW: 363 | Avg PW: 388

Stony Ridge

Lot 62

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
42	4	J12 F4	FVLH-22-118	GEv	301	63	503	62
181	5	J16	JJCM-21-86	GEv	256	70	569	93
185	5	J14 F2	FVLH-21-88	GEv	306	66	574	85

3 animals | Avg BW: 288 | Avg PW: 549

Lot 63

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
47	5	J11 F5	FVLH-21-17	GEv	315	71	315	91
137	5	J11 F5	MHT-21-111	G3	306	57	307	92
160	5	F8 J8	MHT-21-173	G3	264	56	340	91
740	5	J11 F5	MHT-21-253	GEv	207	67	316	93

4 animals | Avg BW: 273 | Avg PW: 320

Lot 64

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
183	4	J11 F5	JJCM-22-92	GEv	306	65	176	73
298	4	J15 F1	FVLH-22-45	GEv	233	65	280	73
305	4	J10 F6	FVLH-22-58	GEv	229	63	197	72

3 animals | Avg BW: 256 | Avg PW: 218

Lot 65

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
33	3	F8 J8	FVLH-23-100	GEv	293	63	155	59
234	2	J11 F5	FVLH-24-104	GEv	263	60	159	47
304	2	J12 F4	FVLH-24-54	GEv	299	61	83	48
342	2	J12 F4	FVLH-24-90	GEv	254	51	190	45

4 animals | Avg BW: 277 | Avg PW: 147

Stony Ridge

Lot 66

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
88	6	J9 F7	FVLH-20-8	GEv	408	72	257	95
119	6	J11 F5	FVLH-20-108	G3	302	60	279	95

2 animals | Avg BW: 355 | Avg PW: 268

Lot 67

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
238	7	J14 F2	FVLH-19-210	G3	294	60	281	97
309	7	J15 F1	FVLH-19-206	G3	248	60	268	96
325	7	J16	FVLH-19-86	G3	188	60	251	97

3 animals | Avg BW: 243 | Avg PW: 267

Lot 68

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
120	5	F10 J6	MHT-21-165		192	57	72	91
245	5	J16	JJCM-21-88	G3	287	56	210	93

2 animals | Avg BW: 240 | Avg PW: 141

Lot 69

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
79	4	J15 F1	JJCM-22-140	GEv	211	64	273	73
175	4	J16	JJCM-22-126	GEv	316	65	113	73
276	4	J9 F7	FVLH-22-10	GEv	344	64	229	80

3 animals | Avg BW: 290 | Avg PW: 205

Lot 70

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
155	8	F12 J4	MHQ-18-210	G3	169	57	305	92
253	6	J14 F2	JJCM-20-38	G3	252	56	314	94

2 animals | Avg BW: 211 | Avg PW: 310

Stony Ridge

Lot 71

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
72	5	J9 F7	FVLH-21-3	GEv	267	69	130	93
199	5	J10 F6	FVLH-21-53	GEv	207	68	281	92
308	5	J14 F2	FVLH-21-69	GEv	292	68	252	93
310	5	J12 F4	FVLH-21-65	GEv	212	65	184	81

4 animals | Avg BW: 245 | Avg PW: 212

Lot 72

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
35	7	J16	FVLH-19-92	GEv	314	70	295	97
177	7	J14 F2	FVLH-19-54	G3	252	57	312	94
217	7	J16	FVLH-19-93	G3	243	61	290	97

3 animals | Avg BW: 270 | Avg PW: 299

Lot 73

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
71	7	J14 F2	FVLH-19-36	G3	249	58	293	96
15	8	J14 F2	FVLH-18-40	G3	260	62	302	97
260	8	J8 U8	GHBB-18-24	G3	279	46	484	94

3 animals | Avg BW: 263 | Avg PW: 360

Lot 74

Ear Tag	Age	Breed	Ident / Birth ID	DNA	BW	BW Reliability %	PW	PW Reliability %
194	7	J13 F3	FVLH-19-110	G3	339	58	241	96
204	7	J15 F1	FVLH-19-49	G3	249	59	319	96

2 animals | Avg BW: 294 | Avg PW: 280